

X-Ringe

Innen-Ø	Schnur-Ø	Innen-Ø	Schnur-Ø	Innen-Ø	Schnur-Ø
0,74	1,02	88,62	1,78	47,29	2,62
1,06	1,25	94,97	1,78	48,90	2,62
1,42	1,52	101,32	1,78	50,47	2,62
1,78	1,02	107,67	1,78	52,07	2,62
1,78	1,78	114,02	1,78	53,64	2,62
2,57	1,78	120,37	1,78	55,25	2,62
2,00	1,50	126,72	1,78	56,82	2,62
2,90	1,78	133,07	1,78	58,42	2,62
3,68	1,78			59,99	2,62
4,47	1,78			61,60	2,62
5,28	1,78	1,24	2,62	63,17	2,62
6,07	1,78	2,84	2,62	64,77	2,62
7,65	1,78	3,63	2,62	66,34	2,62
9,25	1,78	4,42	2,62	67,94	2,62
8,20	1,78	5,23	2,62	69,52	2,62
10,82	1,78	6,02	2,62	71,12	2,62
12,42	1,78	7,59	2,62	72,69	2,62
14,00	1,78	9,20	2,62	75,87	2,62
15,60	1,78	10,77	2,62	82,22	2,62
17,17	1,78	10,20	2,62	88,57	2,62
18,77	1,78	12,37	2,62	94,92	2,62
20,35	1,78	13,95	2,62	101,27	2,62
21,95	1,78	15,55	2,62	107,27	2,62
23,52	1,78	14,70	2,62	113,97	2,62
25,12	1,78	14,80	2,46	120,32	2,62
26,70	1,78	17,12	2,62	126,67	2,62
28,30	1,78	16,20	2,62	133,02	2,62
29,87	1,78	18,72	2,62	139,37	2,62
31,47	1,78	20,29	2,62	145,72	2,62
33,05	1,78	21,89	2,62	152,07	2,62
34,65	1,78	23,47	2,62	158,42	2,62
37,82	1,78	25,07	2,62	164,77	2,62
41,00	1,78	26,64	2,62	171,11	2,62
44,17	1,78	28,24	2,62	177,47	2,62
47,35	1,78	29,82	2,62	183,82	2,62
50,52	1,78	31,42	2,62	190,17	2,62
53,70	1,78	32,99	2,62	196,52	2,62
56,87	1,78	34,59	2,62	202,87	2,62
60,05	1,78	36,17	2,62	209,22	2,62
63,22	1,78	37,77	2,62	215,57	2,62
66,40	1,78	39,34	2,62	221,92	2,62
69,57	1,78	40,95	2,62	228,27	2,62
72,75	1,78	42,25	2,62	234,62	2,62
75,92	1,78	44,12	2,62	240,97	2,62
82,27	1,78	45,69	2,62	247,32	2,62

X-Ringe

Innen-Ø	Schnur-Ø	Innen-Ø	Schnur-Ø	Innen-Ø	Schnur-Ø
4,34	3,53	113,90	3,53	19,99	5,33
5,94	3,53	117,07	3,53	21,59	5,33
7,52	3,53	120,25	3,53	23,16	5,33
10,69	3,53	123,42	3,53	24,76	5,33
12,29	3,53	126,60	3,53	26,34	5,33
13,87	3,53	129,77	3,53	27,94	5,33
15,47	3,53	132,95	3,53	29,51	5,33
17,04	3,53	136,12	3,53	31,11	5,33
18,66	3,53	139,30	3,53	32,69	5,33
18,20	3,53	142,47	3,53	34,29	5,33
20,22	3,53	145,65	3,53	37,46	5,33
21,82	3,53	148,82	3,53	38,64	5,33
23,40	3,53	152,00	3,53	40,64	5,33
25,00	3,53	158,35	3,53	39,20	5,33
26,58	3,53	164,70	3,53	43,80	5,33
28,17	3,53	171,05	3,53	47,00	5,33
29,17	3,53	177,40	3,53	45,20	5,33
31,35	3,53	183,75	3,53	50,16	5,33
32,92	3,53	190,10	3,53	53,35	5,33
34,52	3,53	196,45	3,53	56,50	5,33
36,09	3,53	202,80	3,53	59,70	5,33
37,70	3,53	209,15	3,53	62,86	5,33
40,87	3,53	215,50	3,53	66,05	5,33
44,05	3,53	221,85	3,53	69,20	5,33
47,22	3,53	228,20	3,53	72,40	5,33
50,40	3,53	234,55	3,53	75,56	5,33
53,57	3,53	240,90	3,53	78,75	5,33
53,57	3,53	247,25	3,53	81,90	5,33
59,92	3,53	253,60	3,53	85,10	5,33
63,10	3,53	266,29	3,53	88,26	5,33
66,27	3,53	278,99	3,53	91,45	5,33
69,45	3,53	291,69	3,53	94,60	5,33
72,62	3,53	304,39	3,53	97,80	5,33
75,80	3,53	329,79	3,53	100,96	5,33
78,97	3,53	355,19	3,53	104,15	5,33
82,15	3,53	380,59	3,53	107,30	5,33
85,32	3,53	405,26	3,53	110,50	5,33
88,50	3,53	430,66	3,53	113,66	5,33
91,67	3,53	456,06	3,53	116,84	5,33
94,85	3,53	10,56	5,33	120,20	5,33
98,02	3,53	12,06	5,33	123,19	5,33
101,20	3,53	13,64	5,33	126,37	5,33
104,37	3,53	15,24	5,33	129,54	5,33
107,55	3,53	16,81	5,33	132,72	5,33
110,72	3,53	18,41	5,33	135,89	5,33

X-Ringe

Innen-Ø	Schnur-Ø	Innen-Ø	Schnur-Ø	Innen-Ø	Schnur-Ø
139,06	5,33	132,70	7,0	658,87	7,0
142,24	5,33	135,90	7,0		
145,42	5,33	139,06	7,0		
148,49	5,33	142,25	7,0		
151,76	5,33	145,40	7,0		
158,12	5,33	148,60	7,0		
164,47	5,33	151,76	7,0		
170,81	5,33	158,10	7,0		
177,17	5,33	164,46	7,0		
183,52	5,33	160,50	7,0		
189,87	5,33	170,81	7,0		
196,22	5,33	177,16	7,0		
202,57	5,33	183,50	7,0		
208,92	5,33	189,86	7,0		
215,27	5,33	196,20	7,0		
221,62	5,33	202,56	7,0		
227,97	5,33	215,30	7,0		
234,32	5,33	228,00	7,0		
240,67	5,33	240,70	7,0		
247,02	5,33	253,40	7,0		
253,37	5,33	266,10	7,0		
266,07	5,33	278,80	7,0		
278,77	5,33	291,50	7,0		
291,47	5,33	304,20	7,0		
304,17	5,33	316,90	7,0		
329,57	5,33	329,6	7,0		
354,97	5,33	342,30	7,0		
380,37	5,33	355,00	7,0		
405,26	5,33	367,70	7,0		
430,65	5,33	380,40	7,0		
456,03	5,33	193,10	7,0		
481,38	5,33	405,26	7,0		
506,78	5,33	417,96	7,0		
532,18	5,33	430,65	7,0		
557,58	5,33	443,36	7,0		
582,68	5,33	456,06	7,0		
603,03	5,33	468,76	7,0		
633,48	5,33	481,46	7,0		
658,88	5,33	494,16	7,0		
113,66	7,0	596,86	7,0		
116,85	7,0	532,26	7,0		
120,0	7,0	557,66	7,0		
123,20	7,0	582,68	7,0		
126,36	7,0	608,08	7,0		
129,55	7,0	633,48	7,0		